INDEX TO AUTHORS

ABRUZZO, JOHN L., and CHRISTIAN, CHARLES L. The induction of a rheumatoid factor-like substance in rabbits, 791

ALLISON, FRED, JR., and LANCASTER, MARGIE G. Studies on the pathogenesis of acute inflammation. III. The failure of anticoagulants to prevent the leucocytic sticking reaction and the formation of small thrombi in rabbit ear chambers damaged by heat, 535

ANDERSEN, BURTON R., and JACKSON, GEORGE GEE. Pyelitis, an important factor in the pathogenesis of retrograde pyelonephritis, 375

ARBOUYS, SIMONE. See WAKSMAN ARBOUYS, and ARNASON, 997

ARNASON, BARRY G. See WAKSMAN, ARBOUYS, and ARNASON, 997

ASOFSKY, R., and THORBECKE, G. J. Sites of formation of immune globulins and of a component of C'_3. II. Production of immunoelectrophoretically identified serum proteins by human and monkey tissues *in vitro*, 471

—. See HOCHWALD, THORBECKE, and ASOFSKY, 459

ATKINS, ELISHA. See MOSES and ATKINS, 939

AUSTEN, K. F., and BROCKLEHURST, W. E. Anaphylaxis in chopped guinea pig lung. III. Effect of carbon monoxide, cyanide, salicylaldoxime, and ionic strength, 29

BAEZ, SILVIO. See JANOFF, NAGLER, BAEZ, and ZWEIFACH, 205

BARON, L. S. See SCHNEIDER, FORMAL, and BARON, 141

BARON, SAMUEL. See FRIEDMAN, BUCKLER, and BARON, 173

BENENSON, A. S. See GAINES, LANDY, EDSALL, MANDEL, TRAPANI, and BENENSON, 327

BERRY, L. JOE, and SMYTHE, DOROTHY S. Effects of bacterial endotoxins on metabolism. IV. Renal function and adrenocortical activity as factors in the nitrogen excretion assay for endotoxin, 761

BILLIAU, A. See VAN DEN BOSCH, EVRARD, BILLIAU, JOOSSENS, and DE SOMER, 1035

BORNSTEIN, DONALD L. See GILLMAN, BORNSTEIN, and WOOD, 729

BOUVIER, CLAUDE. See SELLERS, SCHULMAN, BOUVIER, MCCUNE, and KILBOURNE, 237

BRINKHOUS, KENNETH M. See SHERMER, MASON, WAGNER, and BRINKHOUS, 905

BROCKLEHURST, W. E. See AUSTEN and BROCKLEHURST, 29

BUCKLER, CHARLES E. See FRIEDMAN, BUCKLER, and BARON, 173

BURKHOLDER, PETER M. Complement fixation in diseased tissues. I. Fixation of guinea pig complement in sections of kidney from humans with membranous glomerulonephritis and rats injected with anti-rat kidney serum, 605

CASCARANO, JOSEPH. See RUBIN, CASCARANO, and ZWEIFACH, 685

CHASE, MERRILL W. See GOLDSTEIN, SLIZYS, and CHASE, 89

CHIN, DENNIS. See FONG, CHIN, and ELBERG, 75
CHRISTIAN, CHARLES L. See ABRUZZO and CHRISTIAN, 791

DAHL, LEWIS K. Effects of chronic excess salt feeding. Induction of self-sustaining hypertension in rats, 231
DAVENPORT, FRED M. See PETERSON, DAVENPORT, and FRANCIS, 1023
DES PREZ, ROGER M., HOROWITZ, HERBERT I., and HOOK, EDWARD W. Effects of bacterial endotoxin on rabbit platelets. I. Platelet aggregation and release of platelet factors *in vitro*, 857

EDSALL, GEOFFREY. See GAINES, LANDY, EDSALL, MANDEL, TRAPANI, and BENENSON, 327
ELBERG, SANFORD S. See FONG, CHIN, and ELBERG, 75
ENG, JAN. See ERICHSEN, ENG, and MORGAN, 435
ERICHSEN, STIAN, ENG, JAN, and MORGAN, HERBERT R. Comparative studies in Rous sarcoma with virus, tumor cells, and chick embryo cells transformed *in vitro* by virus. I. Production of mucopolysaccharides, 435
EVANS, CHARLES A. See ITO and EVANS, 485
EVRARD, E. See VAN DEN BOSCH, EVRARD, BILLIAU, JOOSSENS, and DE SOMER, 1035

FAHEY, JOHN L. Immunochemical studies of twenty mouse myeloma proteins: evidence for two groups of proteins similar to γ- and β-2A-globulins in man, 385
—. Physicochemical characterization of mouse myeloma proteins: demonstration of heterogeneity for each myeloma globulin, 399
FARQUHAR, MARILYN G., and PALADE, GEORGE E. Glomerular permeability. II. Ferritin transfer across the glomerular capillary wall in nephrotic rats, 699
FELDMAN, JOSEPH D. See NAJARIAN and FELDMAN, 779
FELL, HONOR B., and THOMAS, LEWIS. The influence of hydrocortisone on the action of excess vitamin A on limb bone rudiments in culture, 343
FISHMAN, MARVIN. Antibody formation *in vitro*, 837
FONG, JACOB, CHIN, DENNIS, and ELBERG, SANFORD S. Studies on tubercle bacillus–monocyte relationship. IV. Effects of passage in normal and immune systems upon virulent bacilli, 75
FORMAL, SAMUEL B. See SCHNEIDER, FORMAL, and BARON, 141
FRANCIS, THOMAS, JR. See PETERSON, DAVENPORT, and FRANCIS, 1023
FRANKLIN, EDWARD C., and STANWORTH, DENIS R. Antigenic relationships between immune globulins and certain related paraproteins in man, 521
FRIEDMAN, ROBERT M., BUCKLER, CHARLES E., and BARON, SAMUEL. The effect of aminomethylpteroylglutamic acid on the development of skin hypersensitivity and on antibody formation in guinea pigs, 173
FUDENBERG, HUGH H., and KUNKEL, HENRY G. Specificity of the reaction between rheumatoid factors and gamma globulin, 257

GAINES, SIDNEY, LANDY, MAURICE, EDSALL, GEOFFREY, MANDEL, ADRIAN D., TRAPANI, R.-J., and BENENSON, A. S. Studies on infection and immunity in experimental typhoid fever. III. Effect of prophylactic immunization, 327
GARVIN, JAMES E. Factors affecting the adhesiveness of human leucocytes and platelets *in vitro*, 51

GAYLORD, W. H., JR., and HSIUNG, G.-D. The vacuolating virus of monkeys. II. Virus morphology and intranuclear distribution with some histochemical observations, 987

—. See HSIUNG and GAYLORD, 975

GERMUTH, FREDERICK G., JR. See RHYNE and GERMUTH, 633

GILLMAN, SAMUEL M., BORNSTEIN, DONALD L., and WOOD, W. BARRY, JR. Studies on the pathogenesis of fever. VIII. Further observations on the role of endogenous pyrogen in endotoxin fever, 729

GITLIN, DAVID, and MERLER, EZIO. A comparison of the peptides released from related rabbit antibodies by enzymatic hydrolysis, 217

GODMAN, GABRIEL C. See RIFKIND, GODMAN, HOWE, MORGAN, and ROSE, 1

GOLDSTEIN, GERALD, SLIZYS, IRENE S., and CHASE, MERRILL W. Studies on fluorescent antibody staining. I. Non-specific fluorescence with fluorescein-coupled sheep anti-rabbit globulins, 89

GOURZIS, JAMES T., HOLLENBERG, MURRAY W., and NICKERSON, MARK. Involvement of adrenergic factors in the effects of bacterial endotoxin, 593

HASKINS, WILLARD T., LANDY, MAURICE, MILNER, KELSEY C., and RIBI, EDGAR. Biological properties of parent endotoxins and lipoid fractions, with a kinetic study of acid-hydrolyzed endotoxin, 665

—. See RIBI, HASKINS, LANDY, and MILNER, 647

HOCHWALD, G. M., THORBECKE, G. J., and ASOFSKY, R. Sites of formation of immune globulins and of a component of C'_3. I. A new technique for the demonstration of the synthesis of individual serum proteins by tissues *in vitro*, 459

HOLLAND, JOHN J., and MCLAREN, LEROY C. The location and nature of enterovirus receptors in susceptible cells, 161

HOLLENBERG MURRAY W. See GOURZIS, HOLLENBERG, and NICKERSON, 593

HOOK, EDWARD W. See DES PREZ, HOROWITZ, and HOOK, 857

HOROWITZ, HERBERT I. See DES PREZ, HOROWITZ, and HOOK, 857

HOWE, CALDERON. See RIFKIND, GODMAN, HOWE, MORGAN, and ROSE, 1

HSIUNG, G.-D., and GAYLORD, W. H., JR. The vacuolating virus of monkeys. I. Isolation, growth characteristics, and inclusion body formation, 975

—. See GAYLORD and HSIUNG, 987

HSU, KONRAD C. See MORGAN, HSU, RIFKIND, KNOX, and ROSE, 825, 833

HUGGINS, CHARLES, and MORII, SOTOKICHI. Selective adrenal necrosis and apoplexy induced by 7,12-dimethylbenz(a)anthracene, 741

ITO, YOHEI, and EVANS, CHARLES A. Induction of tumors in domestic rabbits with nucleic acid preparations from partially purified Shope papilloma virus and from extracts of the papillomas of domestic and cottontail rabbits, 485

JACKSON, GEORGE GEE. See ANDERSEN and JACKSON, 375

JANDL, JAMES H. See KAPLAN and JANDL, 921

JANOFF, AARON, NAGLER, ARNOLD L., BAEZ, SILVIO, and ZWEIFACH, BENJAMIN W. Pathogenesis of experimental shock. III. A lethal factor in the blood of rabbits following occlusion of the superior mesenteric artery, 205

JENKIN, CHARLES R., and ROWLEY, DERRICK. The role of opsonins in the clearance of living and inert particles by cells of the reticuloendothelial system, 363

JOOSSENS, J. V. See VAN DEN BOSCH, EVRARD, BILLIAU, JOOSSENS, and DE SOMER, 1035

KAPLAN, MANUEL E., and JANDL, JAMES H. Inhibition of red cell sequestration by cortisone, 921

KAPLAN, MELVIN H. See KUSHNER and KAPLAN, 961

KASEL, JULIUS A., ROWE, WALLACE P., and NEMES, JOHN L. Further characterization of the adenovirus erythrocyte receptor–modifying factor, 717

KILBOURNE, EDWIN D. See SELLERS, SCHULMAN, BOUVIER, MCCUNE, and KILBOURNE, 237

KNOX, ALICE W. See MORGAN, HSU, RIFKIND, KNOX, and ROSE, 825, 833

KRAUSE, RICHARD M., and MCCARTY, MACLYN. Studies on the chemical structure of the streptococcal cell wall. I. The identification of a mucopeptide in the cell walls of Group A and A-variant streptococci, 127

KRETSCHMER, ROBERTO R., and PÉREZ-TAMAYO, RUY. The role of humoral antibodies in rejection of skin homografts in rabbits. I. Passive transfer of isoimmune serum to conditioned hosts, 509

KUNKEL, HENRY G. See FUNDENBERG and KUNKEL, 257

KUSHNER, IRVING, and KAPLAN, MELVIN H. Studies of acute phase protein. I. An immunohistochemical method for the localization of C-reactive protein in rabbits. Association with necrosis in local inflammatory lesions, 961

LANCASTER, MARGIE G. See ALLISON and LANCASTER, 535

LANDY, MAURICE. See GAINES, LANDY, EDSALL, MANDEL, TRAPANI, and BENENSON, 327

—. See HASKINS, LANDY, MILNER, and RIBI, 665

—. See RIBI, HASKINS, LANDY, and MILNER, 647

LAPRESLE, CLAUDE. See WEBB and LAPRESLE, 43

LEVENE, C. I. Structural requirements for lathyrogenic agents, 295

LEVINE, BERNARD B., and OVARY, ZOLTAN. Studies on the mechanism of the formation of the penicillin antigen. III. The *N*-(D-α-benzylpenicilloyl) group as an antigenic determinant responsible for hypersensitivity to penicillin G, 875

LOH, PHILIP C., and RIGGS, JOHN L. Demonstration of the sequential development of vaccinial antigens and virus in infected cells: observations with cytochemical and differential fluorescent procedures, 149

MAGILL, THOMAS P. Indications of hereditary, spatial rearrangement of antigen complexes, in the influenza virus, 441

MANDEL, ADRIAN D. See GAINES, LANDY, EDSALL, MANDEL, TRAPANI, and BENENSON, 327

MASON, REGINALD G. See SHERMER, MASON, WAGNER, and BRINKHOUS, 905

MCCARTY, MACLYN. See KRAUSE and MCCARTY, 127

MCCORMACK, LAWRENCE J. See SCANU, ORIENTE, SZAJEWSKI, MCCORMACK, and PAGE, 279

MCCUNE, ROBERT. See SELLERS, SCHULMAN, BOUVIER, MCCUNE, and KILBOURNE, 237

MCLAREN, LEROY C. See HOLLAND and MCLAREN, 161

MERLER, EZIO. See GITLIN and MERLER, 217

MILNER, KELSEY C. See HASKINS, LANDY, MILNER, and RIBI, 665
—. See RIBI, HASKINS, LANDY, and MILNER, 647
MOCHIZUKI, KOJI. See TAKAHASHI, MOCHIZUKI, and NAGAYAMA, 569
MÖLLER, GÖRAN. Demonstration of mouse isoantigens at the cellular level by the fluorescent antibody technique, 415
MORGAN, COUNCILMAN, HSU, KONRAD C., RIFKIND, RICHARD A., KNOX, ALICE W., and ROSE, HARRY M. The application of ferritin-conjugated antibody to electron microscopic studies of influenza virus in infected cells. I. The cellular surface, 825
—. II. The interior of the cell, 833
—. See RIFKIND, GODMAN, HOWE, MORGAN, and ROSE, 1
MORGAN, HERBERT R. See ERICHSEN, ENG, and MORGAN, 435
MORII, SOTOKICHI. See HUGGINS and MORII, 741
MOSES, JOHN M., and ATKINS, ELISHA. Studies on tuberculin fever. II. Observations on the role of endogenous pyrogen in tolerance, 939

NAGAYAMA, YOSHITAME. See TAKAHASHI, MOCHIZUKI, and NAGAYAMA, 569
NAGLER, ARNOLD L., and ZWEIFACH, BENJAMIN W. Pathogenesis of experimental shock. II. Absence of endotoxic activity in blood of rabbits subjected to graded hemorrhage, 195
—. See JANOFF, NAGLER, BAEZ, and ZWEIFACH, 205
NAJARIAN, JOHN S., and FELDMAN, JOSEPH D. Passive transfer of tuberculin sensitivity by tritiated thymidine-labeled lymphoid cells, 779
NEMES, JOHN L. See KASEL, ROWE, and NEMES, 717
NICKERSON, MARK. See GOURZIS, HOLLENBERG, and NICKERSON, 593

ONODERA, TADAZUMI. See TAKAHASHI, ONODERA, and YAMAMOTO, 555
ORIENTE, PASQUALE. See SCANU, ORIENTE, SZAJEWSKI, MCCORMACK, and PAGE, 279
OVARY, ZOLTAN. See LEVINE and OVARY, 875

PAGE, IRVINE H. See SCANU, ORIENTE, SZAJEWSKI, MCCORMACK, and PAGE, 279
PALADE, GEORGE E. See FARQUHAR and PALADE, 699
PÉREZ-TAMAYO, RUY. See KRETSCHMER and PÉREZ-TAMAYO, 509
PETERSON, W. D., JR., DAVENPORT, FRED M., and FRANCIS, THOMAS, JR. A study *in vitro* of components in the transmission cycle of swine influenza virus, 1023

RHYNE, MARIE BRITT, and GERMUTH, FREDERICK G., JR. The relationships between serum complement activity and the development of allergic lesions in rabbits, 633
RIBI, EDGAR, HASKINS, WILLARD T., LANDY, MAURICE, and MILNER, KELSEY C. Preparation and host-reactive properties of endotoxin with low content of nitrogen and lipid, 647
—. See HASKINS, LANDY, MILNER, and RIBI, 665
RIFKIND, RICHARD A., GODMAN, GABRIEL C., HOWE, CALDERON, MORGAN, COUNCILMAN, and ROSE, HARRY M. Structure and development of viruses as observed in the electron microscope. VI. ECHO virus, type 9, 1
—. See MORGAN, HSU, RIFKIND, KNOX, and Rose, 825, 833

RIGGS, JOHN L. See LOH and RIGGS, 149
ROSE, HARRY M. See MORGAN, HSU, RIFKIND, KNOX, and ROSE, 825, 833
—. See RIFKIND, GODMAN, HOWE, MORGAN, and ROSE, 1
ROWE, WALLACE P. See KASEL, Rowe, and NEMES, 717
ROWEN, ROBERT. The release of cholesterol esters from serum lipoproteins by extracts of certain Group A streptococci, 807
ROWLEY, DERRICK. See JENKIN and ROWLEY, 363
RUBIN, ARNOLD D., CASCARANO, JOSEPH, and ZWEIFACH, BENJAMIN W. Alterations in the oxidative metabolism of rats with induced tolerance: *in vitro* study of diaphragm, 685

SALVIN, S. B., and SMITH, R. F. The specificity of allergic reactions. III. Contact hypersensitivity, 185
SCANU, ANGELO, ORIENTE, PASQUALE, SZAJEWSKI, JANUSZ M., MCCORMACK, LAWRENCE J., and PAGE, IRVINE H. Triton hyperlipemia in dogs. II. Atherosclerosis, diffuse lipidosis, and depletion of fat stores produced by prolonged administration of the non-ionic surface-active agent, 279
SCHNEIDER, H., FORMAL, SAMUEL B., and BARON, L. S. Experimental genetic recombination *in vivo* between *Escherichia coli* and *Salmonella typhimurium*, 141
SCHULMAN, JEROME. See SELLERS, SCHULMAN, BOUVIER, MCCUNE, and KILBOURNE, 237
SELLERS, THOMAS F., JR., SCHULMAN, JEROME, BOUVIER, CLAUDE, MCCUNE, ROBERT, and KILBOURNE, EDWIN D. The influence of influenza virus infection on exogenous staphylococcal and endogenous murine bacterial infection of the bronchopulmonary tissues of mice, 237
SHERMAN, IRWIN W. Molecular heterogeneity of lactic dehydrogenase in avian malaria (*Plasmodium lophurae*), 1049
SHERMER, RICHARD W., MASON, REGINALD G., WAGNER, ROBERT H., and BRINKHOUS, KENNETH M. Studies on thrombin-induced platelet agglutination, 905
SLIZYS, IRENE S. See GOLDSTEIN, SLIZYS, and CHASE, 89
SMITH, R. F. See SALVIN and SMITH, 185
SMYTHE, DOROTHY S. See BERRY and SMYTHE, 761
DE SOMER, P. See VAN DEN BOSCH, EVRARD, BILLIAU, JOOSSENS, and DE SOMER, 1035
SPINK, WESLEY W., and VICK, JAMES. A labile serum factor in experimental endotoxin shock: cross-transfusion studies in dogs, 501
SPITZNAGEL, JOHN K. Antibacterial effects associated with changes in bacterial cytology produced by cationic polypeptides, 1079
—. The effects of mammalian and other cationic polypeptides on the cytochemical character of bacterial cells, 1063
STANWORTH, DENIS R. See FRANKLIN and STANWORTH, 521
SZAJEWSKI, JANUSZ M. See SCANU, ORIENTE, SZAJEWSKI, MCCORMACK, and PAGE, 279

TAKAHASHI, YOSHIO, MOCHIZUKI, KOJI, and NAGAYAMA, YOSHITAME. The behavior of three different kinds of antibodies in tuberculosis: antiprotein, antipolysaccharide, and antiphosphatide. II. Human tuberculosis, 569
—, ONODERA, TADAZUMI, and YAMAMOTO, KEN-ICHI. The behavior of three different kinds of antibodies in tuberculosis: antiprotein, anti-

polysaccharide, and antiphosphatide. I. Experimental tuberculosis, 555

TAMM, IGOR. See WHEELOCK and TAMM, 617

THOMAS, LEWIS. See FELL and THOMAS, 343

THORBECKE, G. J. See ASOFSKY and THORBECKE, 471

—. See HOCHWALD, THORBECKE, and ASOFSKY, 459

TRAPANI, R.-J. See GAINES, LANDY, EDSALL, MANDEL, TRAPANI, and BENENSON, 327

VAN DEN BOSCH, J., EVRARD, E., BILLIAU, A., JOOSSENS, J. V., and DE SOMER, P. The role of liver and spleen in the metabolism of intravenously injected fat in rabbits, 1035

VICK, JAMES. See SPINK and VICK, 501

WAGNER, ROBERT H. See SHERMER, MASON, WAGNER, and BRINKHOUS, 905

WAKSMAN, BYRON H., ARBOUYS, SIMONE, and ARNASON, BARRY G. The use of specific "lymphocyte" antisera to inhibit hypersensitive reactions of the "delayed" type, 997

WATSON, BARBARA K. Immunocytological effects of varied inocula of influenza virus, 13

WEBB, TOM, and LAPRESLE, CLAUDE. Study of the adsorption on and desorption from polystyrene–human serum albumin conjugates of rabbit anti-human serum albumin antibodies having different specificities, 43

WEIGLE, WILLIAM O. The immune response of rabbits tolerant to bovine serum albumin to the injection of other heterologous serum albumins, 111

WEISSMANN, GERALD. Changes in connective tissue and intestine caused by vitamin A in amphibia, and their acceleration by hydrocortisone, 581

WEMYSS, COURTNEY T., JR. See WILLIAMS and WEMYSS, 311

WHEELOCK, E. FREDERICK, and TAMM, IGOR. Biochemical basis for alterations in structure and function of HeLa cells infected with Newcastle disease virus, 617

WILLIAMS, CURTIS A., JR., and WEMYSS, COURTNEY T., JR. Changes produced in mouse plasma proteins by acute bacterial infections, 311

WOOD, W. BARRY, JR. See GILLMAN, BORNSTEIN, and WOOD, 729

YAMAMOTO, KEN-ICHI. See TAKAHASHI, ONODERA, and YAMAMOTO, 555

ZWEIFACH, BENJAMIN W. See JANOFF, NAGLER, BAEZ, and ZWEIFACH, 205

—. See NAGLER and ZWEIFACH, 195

—. See RUBIN, CASCARANO, and ZWEIFACH, 685

INDEX TO SUBJECTS

ACID, aminomethylpteroylglutamic, effect on skin hypersensitivity and antibody formation, 173
—, nucleic, preparations from partially purified Shope papilloma virus and from extracts of papillomas of domestic and cottontail rabbits, induction of tumors with, 485
Acid-hydrolyzed endotoxin, kinetic study of, biological properties of parent endotoxins and lipoid fractions with, 665
Adenovirus erythrocyte receptor–modifying factor, 717
Adhesiveness of human leucocytes and platelets *in vitro*, 51
Adrenal necrosis, selective, and apoplexy, induced by 7,12-dimethylbenz(a)anthracene, 741
Adrenergic factors in effects of bacterial endotoxin, 593
Adrenocortical activity and renal function in nitrogen excretion assay for endotoxin, 761
Adsorption on and desorption from polystyrene–human serum albumin conjugates of rabbit anti-human serum albumin antibodies having different specificities, 43
Agglutination, platelet, thrombin-induced, 905
Albumin antibodies, rabbit anti-human serum, having different specificities, adsorption on and desorption from polystyrene–human serum albumin conjugates of, 43
—, bovine serum, rabbits tolerant to, immune response to injection of other heterologous serum albumins, 111
Albumin conjugates, human serum, and polystyrene, rabbit anti-human serum albumin antibodies having different specificities, adsorption on and desorption from, 43
Albumins, heterologous serum, immune response of rabbits tolerant to bovine serum albumin to injection of, 111
Allergic lesions, serum complement activity and development of, 633
— reactions, specificity of, contact hypersensitivity, 185
Aminomethylpteroylglutamic acid, effect on skin hypersensitivity and antibody formation, 173
Amphibia, vitamin A in, changes in connective tissue and intestine caused by, acceleration by hydrocortisone, 581
Anaphylaxis in chopped guinea pig lung, effect of carbon monoxide, cyanide, salicylaldoxime, ionic strength, 29
Anthracene, benz(a)-, 7,12-dimethyl-, selective adrenal necrosis and apoplexy induced by, 741
Antibacterial effects associated with changes in bacterial cytology produced by cationic polypeptides, 1079
Antibodies, humoral, role in rejection of skin homografts, passive transfer of isoimmune serum to conditioned hosts, 509
— in experimental and human tuberculosis, behavior of antiprotein, antipolysaccharide, and antiphosphatide, 555, 569

Antibodies, rabbit anti-human serum albumin, having different specificities, adsorption on and desorption from polystyrene–human serum albumin conjugates of, 43
—, rabbit, related, peptides released by enzymatic hydrolysis from, comparison of, 217
Antibody, ferritin-conjugated, application to electron microscopic studies of influenza virus in infected cells, cellular surface and interior of cell, 825, 833
— formation *in vitro*, 837
— formation and skin hypersensitivity, effect of aminomethylpteroylglutamic acid on development of, 173
— staining, fluorescent, non-specific fluorescence with fluorescein-coupled sheep anti-rabbit globulins, 89
— technique, fluorescent, demonstration of isoantigens at cellular level by, 415
Anticoagulants, failure to prevent leucocytic sticking reaction and formation of small thrombi in ear chambers damaged by heat, pathogenesis of acute inflammation, 535
Antigen complexes, hereditary and spatial rearrangement in influenza virus, 441
—, penicillin, mechanism of formation of, *N*-(D-α-benzylpenicilloyl) group as antigenic determinant responsible for hypersensitivity to penicillin G, 875
Antigenic relationships between immune globulins and certain related paraproteins in man, 521
Antigens and virus, vaccinial, in infected cells, sequential development, cytochemical and differential fluorescent procedures, 149
Antiphosphatide, antiprotein, and antipolysaccharide in experimental and human tuberculosis, 555, 569
Antipolysaccharide, antiprotein, and antiphosphatide in experimental and human tuberculosis, 555, 569
Antiprotein, antipolysaccharide, and antiphosphatide in experimental and human tuberculosis, 555, 569
Antisera, specific lymphocyte, in inhibition of hypersensitive reactions of delayed type, 997
Apoplexy, and selective adrenal necrosis, induced by 7,12-dimethylbenz(a)anthracene, 741
Artery, superior mesenteric, lethal factor in blood following occlusion of, 205
Atherosclerosis, diffuse lipidosis, and depletion of fat stores produced by prolonged administration of non-ionic surface-active agent, 279
Avian malaria, *Plasmodium lophurae*, molecular heterogeneity of lactic dehydrogenase in, 1049

BACILLI, virulent, effects of passage in normal and immune systems, tubercle bacillus–monocyte relationship, 75
Bacillus, tubercle, –monocyte relationship, passage in normal and immune systems, effects upon virulent bacilli, 75
Bacterial, anti-, effects associated with changes in bacterial cytology produced by cationic polypeptides, 1079
— cells, effects of mammalian and other cationic polypeptides on cytochemical character of, 1063
— cytology, changes produced by cationic polypeptides in, antibacterial effects associated with, 1079
— endotoxin, adrenergic factors in, effects of, 593
— endotoxin, effects on platelet aggregation and release of platelet factors *in vitro*, 857

Bacterial endotoxins, effects on metabolism, renal function and adrenocortical activity in nitrogen excretion assay for endotoxin, 761
— infection, endogenous murine, and exogenous staphylococcal infection of bronchopulmonary tissues of mice, influence of influenza virus infection on, 237
— infections, acute, changes produced in mouse plasma proteins by, 311
Benz(a)anthracene, 7,12-dimethyl-, selective adrenal necrosis and apoplexy induced by, 741
N-(D-α-benzylpenicilloyl) group as antigenic determinant responsible for hypersensitivity to penicillin G, mechanism of formation of penicillin antigen, 875
Biochemical basis for alterations in structure and function of HeLa cells infected with Newcastle disease virus, 617
Biological properties of parent endotoxins and lipoid fractions, with kinetic study of acid-hydrolyzed endotoxin, 665
Blood corpuscle, red. *See* Erythrocyte.
—, lethal factor in, following occlusion of superior mesenteric artery, 205
— subjected to graded hemorrhage, absence of endotoxic activity in, 195
Bone, limb, rudiments in culture, influence of hydrocortisone on action of excess vitamin A on, 343
Bovine serum albumin, rabbits tolerant to, immune response to injection of other heterologous serum albumins, 111
Bronchopulmonary tissues of mice, influence of influenza virus infection on exogenous staphylococcal and endogenous murine bacterial infection of, 237

CAPILLARY wall, glomerular, ferritin transfer across, in nephrotic rats, 699
Carbon monoxide, cyanide, salicylaldoxime, ionic strength, effect on anaphylaxis in chopped guinea pig lung, 29
Cationic and mammalian polypeptides, effects on cytochemical character of bacterial cells, 1063
— polypeptides, antibacterial effects associated with changes in bacterial cytology produced by, 1079
Cell, blood, red. *See* Erythrocyte.
— wall, streptococcal, chemical structure, identification of mucopeptide in cell walls of Groups A and A-variant streptococci, 127
Cells, bacterial, effects of mammalian and other cationic polypeptides on cytochemical character of, 1063
—, HeLa, infected with Newcastle disease virus, biochemical basis for alterations in structure and function of, 617
—, infected, influenza virus in, electron microscopic studies of, application of ferritin-conjugated antibody to, cellular surface and interior of cell, 825, 833
—, infected, vaccinial antigens and virus in, sequential development, cytochemical and differential fluorescent procedures, 149
—, lymphoid, tritiated thymidine-labeled, passive transfer of tuberculin sensitivity by, 779
— of reticuloendothelial system, role of opsonins in clearance of living and inert particles by, 363
—, susceptible, location and nature of enterovirus receptors in, 161
—, tumor and chick embryo, transformed *in vitro* by Rous sarcoma virus, production of mucopolysaccharides by, 435
Cellular level, isoantigens demonstrated by fluorescent antibody technique at, 415
— surface and interior of cell, application of ferritin-conjugated antibody to electron microscopic studies of influenza virus in infected cells, 825, 833

Chemical, immuno-, studies of twenty mouse myeloma proteins, two groups of proteins similar to γ- and β-2A–globulins in man, 385
—, immunohisto-, method for localization of Cx-reactive protein in rabbits, association with necrosis in local inflammatory lesions, 961
—, physico-, characterization of mouse myeloma proteins, demonstration of heterogeneity for each myeloma globulin, 399
— structure of streptococcal cell wall, identification of mucopeptide in cell walls of Groups A and A-variant streptococci, 127
Cholesterol esters, release from serum lipoproteins by extracts of certain Group A streptococci, 807
Complement activity, serum, and development of allergic lesions, 633
— fixation in diseased tissues, fixation of complement in sections of kidney from humans with membranous glomerulonephritis and rats injected with anti-rat kidney serum, 605
—, third component of, and immune globulins, sites of formation of, production of immunoelectrophoretically identified serum proteins by human and monkey tissues *in vitro*, 471
—, third component of, and immune globulins, sites of formation of, synthesis of individual serum proteins by tissues *in vitro*, 459
Corpuscle, blood, red. *See* Erythrocyte.
Cortisone, hydro-, changes in connective tissue and intestine caused by vitamin A in amphibia and their acceleration by, 581
—, hydro-, influence on action of excess vitamin A on limb bone rudiments in culture, 343
—, inhibition of red cell sequestration by, 921
Culture, limb bone rudiments in, influence of hydrocortisone on action of excess vitamin A on, 343
Cyanide, carbon monoxide, salicylaldoxime, ionic strength, effect on anaphylaxis in chopped guinea pig lung, 29
Cytochemical character of bacterial cells, effects of mammalian and other cationic polypeptides on, 1063
— and differential fluorescent procedures, sequential development of vaccinial antigens and virus in infected cells, 149
Cytological, immuno-, effects of inocula, influenza virus, 13
Cytology, bacterial, changes produced by cationic polypeptides in, antibacterial effects associated with, 1079

DEHYDROGENASE, lactic, in *Plasmodium lophurae*, molecular heterogeneity of, 1049
Desorption from and adsorption on polystyrene–human serum albumin conjugates of rabbit anti-human serum albumin antibodies having different specificities, 43
Diaphragm, *in vitro* study of, alterations in oxidative metabolism by induced tolerance, 685
7,12-Dimethylbenz(a)anthracene, selective adrenal necrosis and apoplexy induced by, 741
Disease virus, Newcastle, biochemical basis for alterations in structure and function of HeLa cells infected with, 617
Diseased tissues, complement fixation in, fixation of complement in sections of kidney from humans with membranous glomerulonephritis and rats injected with anti-rat kidney serum, 605

EAR chambers damaged by heat, leucocytic sticking reaction, and formation of small thrombi in, failure

of anticoagulants to prevent, pathogenesis of acute inflammation, 535
ECHO virus, type 9, structure and development observed in electron microscope, 1
Electron microscope, structure and development ECHO virus, type 9, observed in, 1
— microscopic studies of influenza virus in infected cells, application of ferritin-conjugated antibody to, cellular surface and interior of cell, 825, 833
Electrophoresis, immuno-, serum proteins produced by human and monkey tissues *in vitro* identified by, 471
Embryo cells, chick, and tumor cells, transformed *in vitro* by Rous sarcoma virus, production of mucopolysaccharides by, 435
Endogenous murine bacterial and exogenous staphylococcal infection of bronchopulmonary tissues of mice, influence of influenza virus infection on, 237
— pyrogen in endotoxin fever, 729
— pyrogen in tolerance, tuberculin fever, 939
Endotoxic activity, absence in blood subjected to graded hemorrhage, 195
Endotoxin, acid-hydrolyzed, kinetic study of, biological properties of parent endotoxins and lipoid fractions with, 665
—, bacterial, adrenergic factors in, effects of, 593
—, bacterial, effects on platelet aggregation and release of platelet factors *in vitro*, 857
—fever, endogenous pyrogen in, 729
— shock, labile serum factor in, cross-transfusion studies, 501
—, with low content of nitrogen and lipid, host-reactive properties and preparation of, 647
Endotoxins, bacterial, effects on metabolism, renal function and adrenocortical activity in nitrogen excretion assay for endotoxin, 761
—, parent, and lipoid fractions, biological properties of, with kinetic study of acid-hydrolyzed endotoxin, 665
Enterovirus receptors in susceptible cells, location and nature, 161
Enzymatic hydrolysis, peptides released from related rabbit antibodies by, 217
Erythrocyte, inhibition of sequestration by cortisone, 921
— receptor-modifying factor, adenovirus, 717
Escherichia coli and *Salmonella typhimurium*, genetic recombination *in vivo*, 141
Esters, cholesterol, release from serum lipoproteins by extracts of Group A streptococci, 807
Excretion assay, nitrogen, for endotoxin, renal function and adrenocortical activity in, 761
Exogenous staphylococcal and endogenous murine bacterial infection of bronchopulmonary tissues in mice, influence of influenza virus infection on, 237
Extracts of certain Group A streptococci, release of cholesterol esters from serum lipoproteins by, 807
— of papillomas of domestic and cottontail rabbits, and partially purified Shope papilloma virus, induction of tumors with nucleic acid preparations from, 485

FAT, intravenously injected, liver and spleen in metabolism of, 1035
— stores, depletion of, atherosclerosis, and diffuse lipidosis produced by prolonged administration of nonionic surface-active agent, 279

Ferritin transfer across glomerular capillary wall in nephrotic rats, 699
Ferritin-conjugated antibody, application to electron microscopic studies of influenza virus in infected cells, cellular surface and interior of cell, 825, 833
Fever, endotoxin, endogenous pyrogen in, 729
—, tuberculin, endogenous pyrogen in tolerance, 939
—, typhoid, infection and immunity in, effect of prophylactic immunization, 327
Fluorescent antibody staining, nonspecific fluorescence with fluorescein-coupled sheep anti-rabbit globulins, 89
— antibody technique, demonstration of isoantigens at cellular level by, 415
—, differential, and cytochemical procedures, sequential development of vaccinial antigens and virus in infected cells, 149

GENETIC recombination *in vivo*, *Escherichia coli* and *Salmonella typhimurium*, 141
Globulin, γ-, and rheumatoid factors, specificity of reaction between, 257
—, myeloma, demonstration of heterogeneity for each, physicochemical characterization of mouse myeloma proteins, 399
—, sheep anti-rabbit, fluorescein-coupled, non-specific fluorescence with, 89
Globulins, γ- and β-2A–, in man, two groups of proteins similar to, immunochemical studies of twenty mouse myeloma proteins, 385
—, immune, and certain related paraproteins in man, antigenic relationships between, 521
—, immune, and component of C'_3, sites of formation of, production of immunoelectrophoretically identified serum proteins by human and monkey tissues *in vitro*, 471
Globulins, immune, and component of C'_3, sites of formation of, synthesis of individual serum proteins by tissues *in vitro*, 459
Glomerular permeability, ferritin transfer across glomerular capillary wall in nephrotic rats, 699
Glomerulonephritis, membranous, humans with, and rats injected with anti-rat kidney serum, fixation of complement in sections of kidney from, 605
Glutamic, acid, aminomethylpteroyl-, effect on skin hypersensitivity and antibody formation, 173

HEAT, leucocytic sticking reaction and formation of small thrombi in ear chambers damaged by, failure of anticoagulants to prevent, pathogenesis of acute inflammation, 535
HeLa cells infected with Newcastle disease virus, biochemical basis for alterations in structure and function of, 617
Hemorrhage, graded, absence of endotoxic activity in blood subjected to, 195
Hereditary, spatial rearrangement of antigen complexes, in influenza virus, 441
Heterologous serum albumins, immune response of rabbits tolerant to bovine serum albumin to injection of, 111
Histochemical, immuno-, method for localization of Cx-reactive protein, association with necrosis in local inflammatory lesions, 961
— observations, virus morphology and intranuclear distribution of vacuolating virus of monkeys, 987
Homografts, skin, role of humoral antibodies in rejection of, passive transfer of isoimmune serum to conditioned hosts, 509
Host-reactive properties and prepara-

tion of endotoxin with low content of nitrogen and lipid, 647
Hosts, conditioned, passive transfer of isoimmune serum to, role of humoral antibodies in rejection of skin homografts, 509
Humoral antibodies, role in rejection of skin homografts, passive transfer of isoimmune serum to conditioned hosts, 509
Hydrocortisone, changes in connective tissue and intestine caused by vitamin A in amphibia and their acceleration by, 581
—, influence on action of excess vitamin A on limb bone rudiments in culture, 343
Hydrolysis, enzymatic, peptides released from related rabbit antibodies by, 217
Hydrolyzed, acid-, endotoxin, kinetic study of, biological properties of parent endotoxins and lipoid fractions with, 665
Hyperlipemia, triton, in dogs, atherosclerosis, diffuse lipidosis, and depletion of fat stores produced by prolonged administration of nonionic surface-active agent, 279
Hypersensitive reactions of delayed type, inhibition by specific lymphocyte antisera, 997
Hypersensitivity, contact, specificity of allergic reactions, 185
—, skin, and antibody formation, effect of aminomethylpteroylglutamic acid on development of, 173
— to penicillin G, *N*-(D-α-benzylpenicilloyl) group as antigenic determinant responsible for, mechanism of formation of penicillin antigen, 875
Hypertension, self-sustaining, induction in chronic excess salt feeding, 231

IMMUNE globulins and certain related paraproteins in man, antigenic relationships between, 521
Immune globulins and component of C'_3, sites of formation of, production of immunoelectrophoretically identified serum proteins by human and monkey tissues *in vitro*, 471
— globulins and component of C'_3, sites of formation of, synthesis of individual serum proteins by tissues *in vitro*, 459
—, iso-, serum, passive transfer to conditioned hosts, role of humoral antibodies in rejection of skin homografts, 509
— and normal systems, effects of passage upon virulent bacilli, tubercle bacillus–monocyte relationship, 75
— response of rabbits tolerant to bovine serum albumin to injection of other heterologous serum albumins, 111
Immunity and infection in typhoid fever, effect of prophylactic immunization, 327
Immunochemical studies of twenty mouse myeloma proteins, two groups of proteins similar to γ- and β-2A–globulins in man, 385
Immunocytological effects of inocula, influenza virus, 13
Immunoelectrophoretically identified serum proteins, production by human and monkey tissues *in vitro*, 471
Immunohistochemical method for localization of Cx-reactive protein, association with necrosis in local inflammatory lesions, 961
Inclusion body formation, isolation, growth characteristics, of vacuolating virus in monkeys, 975
Infected cells, influenza virus in, electron microscopic studies of, application of ferritin-conjugated antibody to, cellular surface and interior of cell, 825, 833
— cells, vaccinial antigens and virus in, sequential development, cytochemical and differential fluorescent procedures, 149

Infection, endogenous murine bacterial, and exogenous staphylococcal, of bronchopulmonary tissues of mice, influence of influenza virus infection on, 237
— and immunity in typhoid fever, effect of prophylactic immunization, 327
—, influenza virus, influence on exogenous staphylococcal and endogenous murine bacterial infection of bronchopulmonary tissues of mice, 237
Infections, acute bacterial, changes produced in mouse plasma proteins by, 311
Inflammation, acute, pathogenesis of, failure of anticoagulants to prevent leucocytic sticking reaction and formation of small thrombi in ear chambers damaged by heat, 535
Inflammatory lesions, local, necrosis in, immunohistochemical method for localization of Cx-reactive protein, 961
Influenza virus, hereditary, spatial rearrangement of antigen complexes in, 441
— virus in infected cells, electron microscopic studies of, application of ferritin-conjugated antibody to, cellular surface and interior of cell, 825, 833
— virus infection, influence on exogenous staphylococcal and endogenous murine bacterial infection of bronchopulmonary tissues of mice, 237
— virus, inocula of, immunocytological effects, 13
— virus, swine, *in vitro* study of components in transmission cycle of, 1023
Inhibition of red cell sequestration by cortisone, 921
Injection of anti-rat kidney serum, fixation of complement in sections of kidney from humans with membranous glomerulonephritis and rats subjected to, 605
Injection of fat, intravenous, liver and spleen in metabolism of, 1035
— of other heterologous serum albumins, immune response of rabbits tolerant to bovine serum albumin, 111
Inocula of influenza virus, immunocytological effects of, 13
Intestine and connective tissue, changes caused by vitamin A in amphibia, acceleration by hydrocortisone, 581
Ionic, non-, surface-active agent, atherosclerosis, diffuse lipidosis, and depletion of fat stores produced by prolonged administration of, 279
— strength, carbon monoxide, cyanide, salicylaldoxime, effect on anaphylaxis in chopped guinea pig lung, 29
Isoantigens, demonstration at cellular level by fluorescent antibody technique, 415
Isoimmune serum, passive transfer to conditioned hosts, role of humoral antibodies in rejection of skin homografts, 509

KIDNEY from humans with membranous glomerulonephritis and rats injected with anti-rat kidney serum, fixation of complement in sections of, 605
— function and adrenocortical activity in nitrogen excretion assay for endotoxin, 761
— serum, anti-rat, fixation of complement in sections of kidney from humans with membranous glomerulonephritis and rats injected with, 605
Kinetic study of acid-hydrolyzed endotoxin, biological properties of parent endotoxins and lipoid fractions with, 665

LACTIC dehydrogenase in *Plasmodium lophurae*, molecular heterogeneity of, 1049

Lathyrogenic agents, structural requirements for, 295
Lesions, allergic, serum complement activity and development of, 633
—, local inflammatory, necrosis in, immunohistochemical method for localization of Cx-reactive protein, 961
Lethal factor in blood following occlusion of superior mesenteric artery, 205
Leucocytes and platelets, human, *in vitro*, adhesiveness, 51
Leucocytic sticking reaction and formation of small thrombi in ear chambers damaged by heat, failure of anticoagulants to prevent, pathogenesis of acute inflammation, 535
Limb bone rudiments in culture, influence of hydrocortisone on action of excess vitamin A on, 343
Lipid and nitrogen, preparation and host-reactive properties of endotoxin with low content of, 647
Lipidosis, diffuse, atherosclerosis, and depletion of fat stores produced by prolonged administration of nonionic surface-active agent, 279
Lipoid fractions and parent endotoxins, biological properties of, with kinetic study of acid-hydrolyzed endotoxin, 665
Lipoproteins, serum, release of cholesterol esters from, by extracts of Group A streptococci, 807
Liver and spleen in metabolism of intravenously injected fat, 1035
Lung, chopped guinea pig, anaphylaxis in, effect of carbon monoxide, cyanide, salicylaldoxime, ionic strength, 29
Lymphocyte antisera, specific, in inhibition of hypersensitive reactions of delayed type, 997
Lymphoid cells, tritiated, thymidine-labeled, passive transfer of tuberculin sensitivity by, 779

MALARIA, avian, *Plasmodium lophurae*, molecular heterogeneity of lactic dehydrogenase in, 1049
Mammalian and other cationic polypeptides, effects on cytochemical character of bacterial cells, 1063
Man, anti-, serum, rabbit, albumin antibodies having different specificities, adsorption on and desorption from polystyrene–human serum albumin conjugates of, 43
— leucocytes and platelets *in vitro*, adhesiveness, 51
— and monkey tissues *in vitro*, production of immunoelectrophoretically identified serum proteins by, 471
—, paraproteins in, and immune globulins, antigenic relationships between, 521
— serum albumin, and polystyrene, conjugates of rabbit anti-human serum albumin antibodies having different specificities, adsorption on and desorption from, 43
— tuberculosis, antibodies in, anti-protein, antipolysaccharide, and antiphosphatide, 569
—, two groups of proteins similar to γ- and β-2A–globulins in, immunochemical studies of twenty mouse myeloma proteins, 385
— with membranous glomerulonephritis and rats injected with anti-rat kidney serum, fixation of complement in sections of kidney from, 605
Membranous glomerulonephritis, humans with, and rats injected with anti-rat kidney serum, fixation of complement in sections of kidney from, 605
Mesenteric artery, superior, lethal factor in blood following occlusion of, 205
Metabolism, effects of bacterial endotoxins on, renal function and adrenocortical activity in nitrogen

excretion assay for endotoxin, 761
Metabolism of intravenously injected fat, liver and spleen in, 1035
—, oxidative, alterations by induced tolerance, *in vitro* study of diaphragm, 685
Microscope, electron, structure and development ECHO virus type 9 observed in, 1
Microscopic studies, electron, of influenza virus in infected cells, application of ferritin-conjugated antibody to, cellular surface and interior of cell, 825, 833
Molecular heterogeneity of lactic dehydrogenase in *Plasmodium lophurae*, 1049
Monocyte, tubercle bacillus–, relationship, passage in normal and immune systems, effects upon virulent bacilli, 75
Morphology, and intranuclear distribution of vacuolating virus of monkeys, histochemical observations, 987
Mucopeptide, identification in cell walls of Groups A and A-variant streptococci, 127
Mucopolysaccharides, production of, by tumor cells and chick embryo cells transformed *in vitro* by Rous sarcoma virus, 435
Murine bacterial infection, endogenous, and exogenous staphylococcal infection of bronchopulmonary tissues of mice, influence of influenza virus infection on, 237
Myeloma proteins, mouse, physicochemical characterization of, demonstration of heterogeneity for each myeloma globulin, 399
— proteins, twenty mouse, two groups of proteins similar to γ- and β-2A–globulins in man, immunochemical studies, 385

NECROSIS, adrenal, selective, and apoplexy, induced by 7,12-dimethylbenz(a)anthracene, 741
Necrosis, in local inflammatory lesions, immunohistochemical method for localization of Cx-reactive protein, 961
Nephritis, glomerulo-, membranous, and rats injected with anti-rat kidney serum, fixation of complement in sections of kidney from humans with, 605
Nephrotic rats, ferritin transfer across glomerular capillary wall in, 699
Newcastle disease virus, biochemical basis for alterations in structure and function of HeLa cells infected with, 617
Nitrogen excretion assay for endotoxin, renal function and adrenocortical activity in, 761
— and lipid, host-reactive properties and preparation of endotoxin with low content of, 647
Nucleic acid preparations from partially purified Shope papilloma virus and from extracts of papillomas of domestic and cottontail rabbits, induction of tumors with, 485
Nucleus, distribution of virus within, and morphology of vacuolating virus of monkeys, histochemical observations, 987

OPSONINS, role in clearance of living and inert particles by cells of reticuloendothelial system, 363
Oxidative metabolism, alterations by induced tolerance, *in vitro* study of diaphragm, 685

PAPILLOMA virus, Shope, partially purified, and extracts of papillomas of domestic and cottontail rabbits, induction of tumors with nucleic acid preparations from, 485
Papillomas of domestic and cottontail rabbits, extracts of, and partially purified Shope papilloma virus, induction of tumors with

nucleic acid preparations from, 485
Paraproteins in man and immune globulins, antigenic relationships between, 521
Pathogenesis of acute inflammation, failure of anticoagulants to prevent leucocytic sticking reaction and formation of small thrombi in ear chambers damaged by heat, 535
— of fever, endogenous pyrogen in endotoxin fever, 729
— of retrograde pyelonephritis, pyelitis, factor in, 375
— of shock, absence of endotoxic activity in blood subjected to graded hemorrhage, 195
— of shock, lethal factor in blood following occlusion of superior mesenteric artery, 205
Penicillin antigen, mechanism of formation of, *N*-(D-α-benzylpenicilloyl) group as antigenic determinant responsible for hypersensitivity to penicillin G, 875
Penicilloic acid, benzyl-, as antigenic determinant responsible for hypersensitivity to penicillin G, mechanism of formation of, penicillin antigen, 875
Peptides released from related rabbit antibodies by enzymatic hydrolysis, comparison of, 217
Permeability, glomerular, ferritin transfer across glomerular capillary wall in nephrotic rats, 699
Phosphatide, anti-, antipolysaccharide, and antiprotein in experimental and human tuberculosis, 555, 569
Physicochemical characterization of mouse myeloma proteins, demonstration of heterogeneity for each myeloma globulin, 399
Plasma proteins, mouse, changes produced by acute bacterial infections, 311
Plasmodium lophurae, molecular heterogeneity of lactic dehydrogenase in, 1049
Platelet agglutination, thrombin-induced, 905
— aggregation and release of platelet factors *in vitro*, effects of bacterial endotoxin on platelets, 857
Platelets and leucocytes, human, *in vitro*, adhesiveness, 51
Polypeptides, cationic, antibacterial effects associated with changes in bacterial cytology produced by, 1079
—, mammalian and cationic, effects on cytochemical character of bacterial cells, 1063
Polysaccharide, anti-, antiprotein, and antiphosphatide in experimental and human tuberculosis, 555, 569
Polysaccharides, muco-, production of, tumor cells and chick embryo cells transformed in *vitro* by Rous sarcoma virus, 435
Polystyrene–human serum albumin conjugates of rabbit anti-human serum albumin antibodies having different specificities, adsorption on and desorption from, 43
Prophylactic immunization, effect of, infection and immunity in typhoid fever, 327
Protein, acute phase, immunohistochemical method for localization of Cx-reactive protein, association with necrosis in local inflammatory lesions, 961
—, anti-, antipolysaccharide, and antiphosphatide in experimental and human tuberculosis, 555, 569
—, Cx-reactive, immunohistochemical method for localization of, association with necrosis in local inflammatory lesions, 961
Proteins, individual serum, synthesis by tissues *in vitro*, 459
—, mouse myeloma, physicochemical characterization of, demonstration of heterogeneity for each myeloma globulin, 399

Proteins, mouse plasma, changes produced by acute bacterial infections, 311
—, serum, immunoelectrophoretically identified, production by human and monkey tissues *in vitro*, 471
—, twenty mouse myeloma, two groups of proteins similar to γ- and β-2A–globulins in man, immunochemical studies, 385
Pteroylglutamic, acid, aminomethyl-, effect on skin hypersensitivity and antibody formation, 173
Pyelitis, factor in the pathogenesis of retrograde pyelonephritis, 375
Pyelonephritis, retrograde, pyelitis important factor in pathogenesis of, 375
Pyrogen, endogenous, in endotoxin fever, 729
—, endogenous, in tolerance, tuberculin fever, 939

RADIOACTIVE tritiated thymidine, lymphoid cells labeled by, and passive transfer of tuberculin sensitivity, 779
Reaction between rheumatoid factors and γ-globulin, specificity of, 257
Reactions, allergic, specificity of, contact hypersensitivity, 185
—, hypersensitive, of delayed type, inhibition by specific lymphocyte antisera, 997
Reactive, host-, properties and preparation of endotoxin with low content of nitrogen and lipid, 647
Renal. *See* Kidney.
Reticuloendothelial system, cells of, role of opsonins in clearance of living and inert particles by, 363
Rheumatoid factor-like substance in rabbits, induction of, 791
— factors and γ-globulin, specificity of reaction between, 257
Rous sarcoma virus, production of mucopolysaccharides by tumor cells and chick embryo cells transformed *in vitro* by, 435

SALICYLALDOXIME, carbon monoxide, cyanide, ionic strength, effect on anaphylaxis in chopped guinea pig lung, 29
Salmonella typhimurium and *Escherichia coli*, genetic recombination *in vivo*, 141
Salt feeding, chronic excess, effects of, induction of self-sustaining hypertension, 231
Sarcoma, Rous, production of mucopolysaccharides by tumor cells and chick embryo cells transformed *in vitro* by virus, 435
Sensitivity, tuberculin, passive transfer by tritiated thymidine-labeled lymphoid cells, 779
Sera, anti-, specific, lymphocyte, in inhibition of hypersensitive reactions of delayed type, use of, 997
Serum albumin antibodies, rabbit anti-human, having different specificities, adsorption on and desorption from polystyrene–human serum albumin conjugates of, 43
— albumin, bovine, rabbits tolerant to, immune response to injection of other heterologous serum albumins, 111
— albumin, human, and polystyrene, conjugates of rabbit anti-human serum albumin antibodies having different specificities, adsorption on and desorption from, 43
— albumins, heterologous, immune response of rabbits tolerant to bovine serum albumin to injection of, 111
— complement activity and development of allergic lesions, 633
— factor, labile, in endotoxin shock, cross-transfusion studies, 501
—, isoimmune, passive transfer to conditioned hosts, role of humoral antibodies in rejection of skin homografts, 509

Serum, kidney, anti-rat, fixation of complement in sections of kidney from humans with membranous glomerulonephritis and rats injected with, 605
— lipoproteins, release of cholesterol esters from, by extracts of Group A streptococci, 807
— proteins, immunoelectrophoretically identified, production by human and monkey tissues *in vitro*, 471
— proteins, individual, synthesis by tissues *in vitro*, 459
Shock, endotoxin, labile serum factor in, cross-transfusion studies, 501
—, pathogenesis of, absence of endotoxic activity in blood subjected to graded hemorrhage, 195
—, pathogenesis of, lethal factor in blood following occlusion of superior mesenteric artery, 205
Shope papilloma virus, partially purified, and extracts of papillomas of domestic and cottontail rabbits, induction of tumors with nucleic acid preparations from, 485
Skin homografts, role of humoral antibodies in rejection of, passive transfer of isoimmune serum to conditioned hosts, 509
— hypersensitivity and antibody formation, effect of aminomethylpteroylglutamic acid on development of, 173
Specific lymphocyte antisera, in inhibition of hypersensitive reactions of delayed type, 997
—, non-, fluorescence with fluorescein-coupled sheep anti-rabbit globulins, fluorescent antibody staining, 89
Specificities, different, of rabbit anti-human serum albumin antibodies, adsorption on and desorption from polystyrene–human serum albumin conjugates of, 43
Specificity of allergic reactions, contact hypersensitivity, 185
Specificity of reaction between rheumatoid factors and gamma globulin, 257
Spleen and liver in metabolism of intravenously injected fat, 1035
Staining, fluorescent antibody, non-specific fluorescence with fluorescein-coupled sheep anti-rabbit globulins, 89
Staphylococcal, exogenous, and endogenous murine bacterial infection of bronchopulmonary tissues of mice, influence of influenza virus infection on, 237
Streptococcal cell wall, chemical structure, identification of mucopeptide in cell walls of Groups A and A-variant streptococci, 127
Streptococci, Group A extracts, release of cholesterol esters from serum lipoproteins by, 807
—, Groups A and A-variant, identification of mucopeptide in cell walls of, 127
Surface, cellular, application of ferritin-conjugated antibody to electron microscopic studies of influenza virus in infected cells, 825
Surface-active agent, non-ionic, atherosclerosis, diffuse lipidosis, and depletion of fat stores produced by prolonged administration of, 279
Susceptible cells, location and nature of enterovirus receptors in, 161
Swine influenza virus, *in vitro* study of components in transmission cycle of, 1023

THROMBI, small, formation in ear chambers damaged by heat, and leucocytic sticking reaction, failure of anticoagulants to prevent, pathogenesis of acute inflammation, 535
Thrombin-induced platelet agglutination, 905
Thymidine-labeled lymphoid cells,

tritiated, passive transfer of tuberculin sensitivity by, 779
Tissue, connective, and intestine, changes caused by vitamin A in amphibia, acceleration by hydrocortisone, 581
Tissues, bronchopulmonary, of mice, influence of influenza virus infection on exogenous staphylococcal and endogenous murine bacterial infection of, 237
—, diseased, complement fixation in, fixation of complement in sections of kidney from humans with membranous glomerulonephritis and rats injected with anti-rat kidney serum, 605
—, human and monkey, *in vitro*, production of immunoelectrophoretically identified serum proteins by, 471
— *in vitro*, synthesis of individual serum proteins by, 459
Tolerance, endogenous pyrogen in, tuberculin fever, 939
—, induced, alteration in oxidative metabolism of rats with, *in vitro* study of diaphragm, 685
— to bovine serum albumin, immune response to injection of other heterologous serum albumins, rabbits having, 111
Transfer, ferritin, across glomerular capillary wall in nephrotic rats, 699
—, passive, of isoimmune serum to conditioned hosts, role of humoral antibodies in rejection of skin homografts, 509
—, passive, of tuberculin sensitivity by tritiated thymidine-labeled lymphoid cells, 779
Transfusion, cross-, labile serum factor in endotoxin shock, 501
Transmission cycle of swine influenza virus, *in vitro* study of components, 1023
Tritiated thymidine-labeled lymphoid cells, passive transfer of tuberculin sensitivity by, 779
Triton hyperlipemia in dogs, atherosclerosis, diffuse lipidosis, and depletion of fat stores produced by prolonged administration of nonionic surface-active agent, 279
Tubercle bacillus–monocyte relationship, passage in normal and immune systems, effects upon virulent bacilli, 75
Tuberculin fever, role of endogenous pyrogen in tolerance, 939
— sensitivity, passive transfer by tritiated thymidine-labeled lymphoid cells, 779
Tuberculosis, experimental and human, behavior of antiprotein, antipolysaccharide, and antiphosphatide in, 555, 569
Tumor cells and chick embryo cells, transformed *in vitro* by Rous sarcoma virus, production of mucopolysaccharides by, 435
Tumors, induction with nucleic acid preparations from partially purified Shope papilloma virus and from extracts of papillomas of domestic and cottontail rabbits, 485
Typhoid fever, infection and immunity in, effect of prophylactic immunization, 327

VACCINIAL antigens and virus in infected cells, sequential development, cytochemical and differential fluorescent procedures, 149
Virulent bacilli, tubercle bacillus–monocyte relationship, effect of passage in normal and immune systems upon, 75
Virus and antigens, vaccinial, in infected cells, sequential development, cytochemical and differential fluorescent procedures, 149
—, ECHO, type 9, structure and development observed in electron microscope, 1
—, entero-, receptors in susceptible cells, location and nature, 161
— infection, influenza, influence on exogenous staphylococcal and en-

dogenous murine bacterial infection of bronchopulmonary tissues of mice, 237
Virus, influenza, hereditary, spatial rearrangement of antigen complexes in, 441
—, influenza, in infected cells, electron microscopic studies of, application of ferritin-conjugated antibody to, cellular surface and interior of cell, 825, 833
—, influenza, inocula of, immunocytological effects, 13
—, Newcastle disease, biochemical basis for alterations in structure and function of HeLa cells infected with, 617
—, Rous sarcoma, production of mucopolysaccharides by tumor cells and chick embryo cells transformed *in vitro* by, 435
—, Shope papilloma, partially purified, and extracts of papillomas of domestic and cottontail rabbits, induction of tumors with nucleic acid preparations from, 485
Virus, swine influenza, *in vitro* study of components in transmission cycle of, 1023
—, vacuolating, of monkeys, isolation, growth characteristics, and inclusion body formation, 975
—, vacuolating, of monkeys, morphology and intranuclear distribution, histochemical observations, 987
—, vacuolating, of monkeys, virus morphology and intranuclear distribution, histochemical observations, 987
Vitamin A, excess, action on limb bone rudiments in culture, influence of hydrocortisone on, 343
— A in amphibia, changes in connective tissue and intestine caused by, acceleration by hydrocortisone, 581